## IN THE CLAIMS

- 1. (currently amended) A method for *in vivo* expression of an immunogen comprising:

  administering a non-mammalian bacterial host cell to a mammal, wherein said host cell comprises a polynucleotide encoding an immunogen, wherein the non-mammalian bacterial host cell is unable to use its own machinery to express the encoded immunogen, wherein the polynucleotide comprises a promoter functional in a cukaryotic cell, and wherein the immunogen is expressed *in vivo* by cells of the mammal.
- 2. (currently amended) The method of claim 1 wherein the <u>bacterial</u> host cell is <del>inactivated</del> by <u>unable to use its own machinery to express the encoded immunogen due to</u> heat treatment.
- 3. (currently amended) The method of claim 1 wherein the <u>bacterial</u> host cell is <del>inactivated by</del> unable to use its own machinery to express the encoded immunogen due to ultra-violet light exposure.
- 4. (currently amended) The method of claim 1 wherein the <u>bacterial</u> host cell is <u>inactivated by</u> unable to use its own machinery to express the encoded immunogen due to hydrogen peroxide treatment.
- 5. (original) The method of claim 1 wherein a plasmid comprises the polynucleotide encoding the immunogen.
- 6. (original) The method of claim 1 wherein the polynucleotide encoding the immunogen is incorporated into the host cell genome.
- 7. (original) The method of claim 1 wherein the expressed immunogen generates an immune response in the mammal.

8. (currently amended) A method of generating an immune response in a mammal comprising:

administering a non-mammalian bacterial host cell to said mammal, wherein said inactivated host cell comprises a polynucleotide encoding an immunogen, wherein the non-mammalian host cell is unable to use its own machinery to express the encoded immunogen, wherein the polynucleotide comprises a promoter functional in a cukaryotic eell, and wherein the immunogen is expressed *in vivo* by cells of the mammal, thereby generating an immune response in the mammal against the immunogen.

- 9. (currently amended) The method of claim 8 wherein the <u>bacterial</u> host cell is <del>inactivated by</del> unable to use its own machinery to express the encoded immunogen due to heat treatment.
- 10. (currently amended) The method of claim 8 wherein the <u>bacterial</u> host cell is <del>inactivated by</del> unable to use its own machinery to express the encoded immunogen due to ultraviolet light exposure.
- 11. (currently amended) The method of claim 8 wherein the <u>bacterial</u> host cell is <del>inactivated by</del> unable to use its own machinery to express the encoded immunogen due to hydrogen peroxide treatment.
- 12. (original) The method of claim 8 wherein a plasmid comprises the polynucleotide encoding the immunogen.
- 13. (original) The method of claim 8 wherein the polynucleotide encoding the immunogen is incorporated into the host cell genome.

14-24. (canceled)

- 25. (currently amended) The method of claim [[24]] 1 wherein the bacterial host cell is selected from the group consisting of *E. coli*, *Shigella spp*, *Bordella spp*, *Salmonella spp*, *Bacillus spp*, *Streptococcus spp*, and *Mycobacteria spp*.
- 26. (withdrawn-currently amended) The method of claim 25 wherein the bacteria are bacterial host cell is *E. coli*.
- 27. (currently amended) The method of claim 25 wherein the bacteria are bacterial host cell is Shigella flexneri.
- 28. (withdrawn-currently amended) The method of claim 25 wherein the bacteria are bacterial host cell is *Mycobacterium bovis*.
- 29. (withdrawn-currently amended) The method of claim 25 wherein the bacteria are bacterial host cell is Salmonella typhi TY21a.

## 30-35. (canceled)

- 36. (previously presented) The method of claim [[35]] 8 wherein the bacterial host cell is selected from the group consisting of *E. coli*, *Shigella spp*, *Bordella spp*, *Salmonella spp*, *Bacillus spp*, *Streptococcus spp*, and *Mycobacteria spp*.
- 37. (withdrawn-currently amended) The method of claim 36 wherein the bacteria are bacterial host cell is *E. coli*.
- 38. (currently amended) The method of claim 36 wherein the bacteria are bacterial host cell is Shigella flexneri.
- 39. (withdrawn-currently amended) The method of claim 36 wherein the bacteria are bacterial host cell is *Mycobacterium bovis*.
- 40. (withdrawn-currently amended) The method of claim 36 wherein the bacteria are bacterial host cell is Salmonella typhi TY21a.

41-44. (canceled)